

CATALOGUE 2022



SHOP FITTING
- NEW PRODUCTS

DAMIX GROUP

SHOPPING TROLLEY MINI 22L


NEW!



Additional equipment (inter alia mast, handle Ergostick, coin lock, the logo) require separate arrangements.

TYPE	MINI 22L
BASKET CAPACITY	22 l
LOADING	22 kg
WHEEL DIAMETER	75 mm
NESTING DISTANCE	160 mm

Standard finish:
zinc plated+ lacquer,



PRODUCT NAME	FINISH	INDEX
Shopping trolley MINI 22L	zinc plated + lacquer	919-351-320

W2 SPECIAL TROLLEYS, ACCESSORIES

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
27 01 2020

TROLLEY WITH CAR FOR KIDS KID-CAR 3

NEW!




TYPE	KID-CAR 3
LOADING	100 kg
WHEEL DIAMETER	125 mm

Trolley for family shopping is equipped with small, stylized orange-grey. The trolley will attract attention of your customers. It's entertainment for children which let family have a nice shopping.

In order to increase your sale and satisfy customers, choose Kid Caddie.

Capacity: 100 kg divided into 3 baskets.

The finishing of basket:
Zinc galvanized + lacquer



PRODUCT NAME	FINISH	INDEX
Trolley with Car for Kids KID-CAR 3	basket: zinc galvanized + lacquer	919-351-386

W2 SPECIAL TROLLEYS, ACCESSORIES

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
23 09 2019

LUGGAGE TROLLEY VARIO E1

NEW!



Mainly used at airports, railway stations and hotels.

Capacity:

Up to 4 pieces of luggages. Upper basket for handy luggage. Practical bag hook.

Service and safety:

High quality of protective handle (grey colour), front bumper and slopped bottom platform allow the safety of luggage. Trolley can be in option with coin lock.

Personalization (optional):

Advertising plate with dimensions 400x200 mm.


Coating:

zinc galvanized + lacquer.

Options: construction can be powder coated or made of stainless steel.

Rollen:

2 fixed back wheels Ø 200 mm,
2 front swivel wheels Ø 125 mm.



TYPE	Vario E1
TOTAL CAPACITY	250 kg
NESTING DISTANCE	340 mm

PRODUCT NAME	FINISH	INDEX
Luggage trolley Vario E1	zinc galvanized + lacquer	919-351-361

W2 SPECIAL TROLLEYS, ACCESSORIES

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
10 02 2022

LUGGAGE TROLLEY VARIO E2

NEW!



Mainly used at airports, railway stations and hotels.

Capacity:

Up to 4 pieces of luggages. Upper basket for handy luggage. Practical bag hook.

Service and safety:

High quality of protective handle (grey colour), front bumper and slopped bottom platform allow the safety of luggage.

Personalization (optional):

Advertising plate with dimensions 467x388 mm.


Coating:

zinc galvanized + lacquer.

Options: construction can be powder coated or made of stainless steel.

Wheels:

2 fixed back wheels Ø 200mm, 1 swivel front wheel Ø 125 mm.



TYPE	Vario E2
TOTAL CAPACITY	250 kg
NESTING DISTANCE	270 mm

PRODUCT NAME	FINISH	INDEX
Luggage trolley Vario E2	zinc galvanized + lacquer	919-351-360

W2 SPECIAL TROLLEYS, ACCESSORIES

SERVICE TROLLEY WITH BASKETS

NEW!




TYPE	Service trolley with baskets
LOADING	200 kg
WHEEL DIAMETER	125 mm

Simple and convenient service trolley will be necessary during service work.

It allows loads up to 200kg thanks to two platforms. Swivel wheels $\varnothing$ 125mm ensure optimal maneuverability. Two fixed platforms and clipboard A4 allow convenient sorting of items and preparation of works. Corner bumpers protect the trolley and ensure durability. Two zinc baskets with dimension: length 600x width 400x height 300mm.

Standard finish:

construction - zinc plated + powder coating
basket - zinc plated + lacquer



PRODUCT NAME	FINISH	INDEX
Service trolley with baskets	zinc plated + powder coating/ zinc plated + lacquer	919-351-392

W2 SPECIAL TROLLEYS, ACCESSORIES

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
27 01 2020

SERVICE TROLLEY WITHOUT BASKETS

NEW!




TYPE	Service trolley without baskets
LOADING	200 kg
WHEEL DIAMETER	125 mm

That simple and practical trolley will be necessary for service work.

The permissible loading is up to 200 kg thanks to two platforms. The construction of trolley and swivel wheels $\varnothing$ 125 mm allow optimal manoeuvrability of trolley. Two fixed platforms and clipboard A4 allow convenient way of goods' sorting and preparing of work. Corner bumpers are the protectors of trolley and they allow its stability.

Standard finish:
zinc plated + powder coating.



PRODUCT NAME	FINISH	INDEX
Service trolley without baskets	zinc plated + powder coating	919-351-393

W2 SPECIAL TROLLEYS, ACCESSORIES

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
28 08 2019

TRANSPORT TROLLEY VARIO HEAVY



NEW!



TYPE	Vario Heavy
TOTAL LOADING	200 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	300 mm

The automatically lowering shelf as the load increases and the possibility of folding it increases the loading comfort and allows for ergonomic use of the loading area of the trolley. The trolley has 4 swivel castors, including 2 with a brake.

Standard finish:
zinc plated+lacquer.



PRODUCT NAME	FINISH	INDEX
Transport trolley Vario Heavy	zinc plated+lacquer	919-351-423

W3 TRANSPORT TROLLEYS

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
10 02 2022

TRANSPORT TROLLEY VARIO WTP4

NEW!

The trolley has a wire platform, a lower basket and an upper basket. The upper basket can be lifted upwards, which allows to increase the loading area of the wire platform. The mounted actuator prevents the basket from falling spontaneously.


Standard finish: zinc plated+lacquer.



TYPE	Vario WTP4
LOADING OF THE UPPER BASKET	80 kg
LOADING OF THE LOWER BASKET	20 kg
CAPACITY OF THE LOWER BASKET	13 L
TOTAL LOADING	200 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	300 mm

Optional equipment:

- the fifth wheel
- Side handle for the coin lock



In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.

PRODUCT NAME	FINISH	INDEX
Transport trolley Vario WTP4	zinc plated + lacquer	—

W3 TRANSPORT TROLLEYS


TRANSPORT TROLLEY VARIO 95

NEW!



*The trolley
in the basic
version*

*Trolley with optional equipment
(example configurations)*



Optional equipment:

- upper basket
- upper shelf
- lower basket
- full platform (platform of plywood, anti-slip, waterproof, double-sided foiled).

TYPE	Vario 95
LOADING OF THE UPPER BASKET	30 kg
LOADING OF THE SHELF	50 kg
LOADING OF THE LOWER BASKET	15 kg
TOTAL LOADING	250 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	260 mm

The standard equipment of the trolley includes a frame on wheels with a wire platform. The trolley can have various configurations of optional equipment.

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.

PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 95	zinc plated + lacquer	919-351-448

W3 TRANSPORT TROLLEYS

TRANSPORT TROLLEY VARIO 115 with folded basket

NEW!




Optional equipment:

- full platform (platform of plywood, anti-slip, waterproof, double-sided foiled).




TYPE	Vario 115 (with folded basket)
BASKET CAPACITY	45l/ 75l
LOADING OF BASKET	50 kg
TOTAL LOADING	250 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	360 mm


- fifth wheel



- set for travelator (wheels for travelator and front stop barrier)



In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels for travelator or with brake, coin lock, logo and other accessories) require separate arrangements.



PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 115 (with folded basket)	zinc plated + lacquer	919-351-449


W3 TRANSPORT TROLLEYS

TRANSPORT TROLLEY VARIO 115 with fixed basket

NEW!




TYPE	Vario 115 (with fixed basket)
BASKET CAPACITY	50 l
LOADING OF BASKET	50 kg
TOTAL LOADING	250 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	360 mm




In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels for travelator or with brake, coin lock, logo and other accessories) require separate arrangements.

Optional equipment:

- fifth wheel



- set for travelator (wheels for travelator and front stop barrier)



- full platform (platform of plywood, anti-slip, waterproof, double-sided foiled).

full platform (option)



PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 115 (with fixed basket) with toddler seat	zinc plated + lacquer	_____
Transport trolley Vario 115 (with fixed basket) without toddler seat	zinc plated + lacquer	_____

W3 TRANSPORT TROLLEYS

TRANSPORT TROLLEY VARIO 115 with additional set



The additional set mounted on the side of the trolley is intended for transport of items with dimensions not exceeding 1000mm in height and 2400mm in length, i.e.: tubes, strips, boards, doors

The trolley is available in several variants:

*with fixed basket
with toddler seat*

*with fixed basket
without toddler seat*

with folded basket

Basket:
- folded,
- fixed with toddler seat,
- fixed without toddler seat.

Platform:
- wire,
- full (platform of plywood,
anti-slip, waterproof,
double-sided foiled).





wire platform

full platforma



In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.

TYPE	Vario 115 with additional set
BASKET CAPACITY	50 l
LOADING OF BASKET	50 kg
LOADING OF ADDITIONAL SIDE SET	50 kg
TOTAL LOADING	250 kg
WHEEL DIAMETER	125 mm
NESTING DISTANCE	360 mm



PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 115 with additional set	zinc plated + lacquer	_____

W3 TRANSPORT TROLLEYS

TRANSPORT TROLLEY VARIO 125

NEW!




Optional equipment

- full platform (platform of plywood, anti-slip, waterproof, double-sided foiled),
- wire basket,
- fifth wheel.



TYPE	Vario 125
BASKET CAPACITY	27 l
LOADING OF BASKET	30 kg
TOTAL LOADING	350 kg
WHEEL DIAMETER	160 mm
NESTING DISTANCE	370 mm

In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.



PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 125	zinc plated + lacquer	919-351-450

W3 TRANSPORT TROLLEYS

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
10 02 2022

TRANSPORT TROLLEY VARIO 125M


NEW!



Optional equipment:
- rear basket



TYPE	Vario 125M
LOADING OF THE UPPER BASKET	50 kg
LOADING OF THE REAR BASKET (option)	30 kg
TOTAL LOADING	450 kg
WHEEL DIAMETER	160 mm
NESTING DISTANCE	350 mm



In the standard version shopping trolley has standard wheels. Optional accessories (inter alia wheels with brake, coin lock, logo and other accessories) require separate arrangements.

PRODUCT NAME	FINISH	INDEX
Transport trolley Vario 125M	zinc plated + lacquer	919-351-410

W3 TRANSPORT TROLLEYS

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
10 02 2022


PANEL TRANSPORTER CARRY WP5

NEW!



It's convenient trolley dedicated for transporting different panels, for example furniture panels, cardboard panels, gypseous panels, plywoods, door, boards. Solid construction of trolleys allows the capacity up to 300 kg. The trolley can be equipped with an antitheft mast with flag.

TYPE	CARRY WP5
TOTAL LOADING	300 kg
WHEEL DIAMETER	160 mm
NESTING DISTANCE	300 mm



trolley with optional equipment

Wheels Ø 160 mm - 2 back wheels with brakes ensure the safety of goods on trolley. Coin lock system and the mast anti-theft with customisable flag allow you to be vigilant against theft.

Capacity:

Trolley's dimensions allow to locate large products.

Coating:

Zinc + powder coating

Options:

- one or two baskets,
- metal sheet
- mast with possibility of personalized flag.

PRODUCT NAME	FINISH	INDEX
Panel transporter Carry WP5	zinc + powder coating	919-351-368

W3 TRANSPORT TROLLEYS


DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
23 09 2019

WAREHOUSE TROLLEY 810x720 H1700

page 1

NEW!



Standard equipment

- chassis on wheels
- side walls H-1700

Total loading: 500 kg

Loading of the standard wire shelf: 70 kg

Loading of the reinforced wire shelf: 100 kg

Wheel: polyamide 100 mm

Standard finish: zinc plated + lacquer

Optional equipment

- side wall H-1700, with identification board,
- side wall Securite H-1700,
- closed wall H-1700,
- bottom closed wall H-700,
- top closed wall H-700,
- standard wire shelf,
- reinforced wire shelf,
- corner bumpers,
- textile or rubber belt.

POSSIBLE CONFIGURATIONS:

Container with side walls and belts

Container with securite side walls

Container with side walls, and closed wall H-1700

Container with side walls, and two closed walls H-1700

Container with side walls, and closed wall H-1700, with wire shelf

Container with side walls, closed wall H-1700, with top and bottom closed wall H-700



PRODUCT NAME	FINISH	INDEX
Warehouse trolley 810x720 H1700	zinc plated + lacquer	919-351-470

K ROLLCONTAINERS

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
10 02 2021

Standard equipment:

- chassis on wheels
- side walls H-1700




Optional equipment:

side wall H-1700,
with identification
board

closed wall
H-1700

top closed wall
H-700


bottom closed wall
H-700



wheel types for container assembly:

Wheel type	4 swivel wheels	4 swivel wheels, 2 wheels with the brakes	2 swivel wheels, 2 fixed wheels	2 swivel wheels with brake, 2 fixed wheels
 polypropylene Ø 100 mm	✓		✓	
 polyamide Ø 100 mm	✓	✓		✓
 polyamide Ø 125 mm	✓		✓	
 Rubber Ø 125 mm	✓	✓	✓	✓
 Sandwich Ø 125 mm			✓	✓

standard wire shelf



reinforced wire shelf



textile or rubber belt



corner bumpers




side wall Secure



WAREHOUSE TROLLEY 810x720 H1900

page 1

NEW!



Standard equipment

- chassis on wheels
- side walls H-1900


Total loading: 500 kg

Loading of the standard wire shelf: 70 kg

Loading of the reinforced wire shelf: 100 kg

Wheel: polyamide 100 mm

Standard finish: zinc plated + lacquer



Optional equipment

- side wall H-1900, with identification board,
- side wall Securite H-1900,
- closed wall H-1900,
- bottom closed wall H-700,
- top closed wall H-700,
- standard wire shelf,
- reinforced wire shelf,
- corner bumpers,
- textile or rubber belt.

POSSIBLE CONFIGURATIONS:

Container with side walls and belts




Container with securite side walls

Container with side walls, and closed wall H-1900

Container with side walls, and two closed walls H-1900

Container with side walls, and closed wall H-1900, with wire shelf

Container with side walls, closed wall H-1900, with top and bottom closed wall H-700



PRODUCT NAME	FINISH	INDEX
Warehouse trolley 810x720 H1900	zinc plated + lacquer	919-351-470

K ROLLCONTAINERS

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
10 02 2021

WAREHOUSE TROLLEY 810x720 H1900

page 2

NEW!

Standard equipment:

- chassis on wheels
- side walls H-1900




Optional equipment:

side wall H-1900,
with identification
board

closed wall
H-1900

top closed wall
H-700


bottom closed wall
H-700



wheel types for container assembly:

Wheel type	4 swivel wheels	4 swivel wheels, 2 wheels with the brakes	2 swivels wheels, 2 fixed wheels	2 swivel wheels with brake, 2 fixed wheels
 polypropylene Ø 100 mm	✓		✓	
 polyamide Ø 100 mm	✓	✓		✓
 polyamide Ø 125 mm	✓		✓	
 Rubber Ø 125 mm	✓	✓	✓	✓
 Sandwich Ø 125 mm			✓	✓

standard wire shelf



reinforced wire shelf




textile or rubber belt



corner bumpers



side wall Securite



WAREHOUSE TROLLEY WITH BASKET 800x600 H600 ON WHEELS

NEW!




Trolley with a basket has been designed to facilitate the transport of products in warehouses etc.

Weight capacity up to 200kg. Swivel wheels $\varnothing$ 125mm ensure optimal manoeuvrability.

Loading: 200 kg

Wheel diameter: 125 mm

Coating: zinc galvanized + lacquer.



PRODUCT NAME	FINISH	INDEX
Warehouse trolley with basket 800x600 H600 on wheels	zinc galvanized + lacquer	919-351-382

K ROLLCONTAINERS

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
28 08 2020

WAREHOUSE TROLLEY WITH BASKET 800x600 H600 WITH FRAME ON WHEELS

NEW!




The basket of the trolley has been designed for easy loading/unloading. It's raised bottom allows the user to bend less and provide better access to the basket.

Trolley holds up to 200kg. Plastic cover of handle and swivel wheels $\varnothing$ 125 mm ensure easy handling and optimal manoeuvrability. Optional clipboard A4.

Loading: 200 kg

Wheel diameter: 125 mm

Coating: zinc galvanized + lacquer.



PRODUCT NAME	FINISH	INDEX
Warehouse trolley with basket 800x600 H600 with frame on wheels	zinc galvanized + lacquer	919-351-383

K ROLLCONTAINERS

DAMIX Sp z o.o. ul. Bohaterów Czerwca 1956r. nr 3; PL - 87-500 Rypin
tel. +48 54 280 45 54; fax +48 54 280 45 40; e-mail: damix@damix.pl; handel@damix.p, www.damix.pl

All rights reserved
28 08 2020



DAMIX Sp. z o.o.,
ul. Bohaterów Czerwca 1956r. nr 3,
87-500 Rypin,
tel. +48 54 280 45 54,
e-mail: damix@damix.pl,
handel@damix.pl



**Catalogue in different languages is available
in electronic version at the address:**

http://damix.pl/katalog/Katalog_DAMIX_PL.pdf



http://damix.pl/katalog/Katalog_DAMIX_DE.pdf



http://damix.pl/katalog/Katalog_DAMIX_EN.pdf



http://damix.pl/katalog/Katalog_DAMIX_RU.pdf



Edition 10 02 2022



The reproduce without prior permission is forbidden. In order to improve, the manufacturer reserves the right to implement modifications in its products. Recommendations for installation and use the products are provided for informational purposes only and does not imply any liability on the part of the manufacturer.